



STEINEL HEAT TOOLS

Good, Better & Best for Heat Shrinking

Invention in action. For every job.

GOOD

COMFORTABLE WORK

With three-stage adjustable heat 120°F, 750°F, 1100°F and air flow up to 13 cfm, this professional heat gun is designed to reduce fatigue and prevent overheating during heat shrinking.

WORK COMFORTABLY

THREE STAGE ADJUSTABLE HEAT



KEY FEATURES



600 hour brush motor
Light handle for all-day use



Heating element: Ceramic encapsulated



Hanger: integrated work support



Optimized center of gravity



Protection: Thermal cut-out

HL 1820 S

PN: 110025541

ELECTRONIC PRECISION

GOOD

Benefit from **infinitely adjustable temperature from 120°F to 1,100°F** and three-stage air flow adjustability. This professional heat gun provides precision and **prevents overheating during heat shrinking**.

ADJUSTABILITY



KEY FEATURES



600 hour brush motor



Heating element: Ceramic encapsulated



Hanger: integrated work support
Nozzles: accepts all standard nozzles



Optimized center of gravity



Protection: Thermal cut-out

THUMBWHEEL OPERATION

HL 1920 E

PN: 110025596

BETTER

ERGONOMIC, PRECISE, AND SAFE

Reduce fatigue during virtually any application including heat shrinking tubes onto cables, welding and much more with this ergonomically designed, professional heat tool featuring an **LCD display to ensure precision and safety**, while monitoring and adjusting temperature up to 1,150°F.

LCD DISPLAY FOR PRECISION AND SAFETY



ERGONOMIC DESIGN REDUCES FATIGUE

KEY FEATURES



600 hour brush motor



Heating element: Ceramic encapsulated



Nozzles: accepts all standard nozzles



Easy access cover for quick change of power cord



On-screen warning in case of heat accumulation
Thermal cut-out for overheat control

HL 2020 E

PN:110025597

1.888.610.7664



www.calcert.com

sales@calcert.com

MOST STRINGENT CONDITIONS

BETTER

Designed for power and results, this heat gun generates an impressive **1,600 watts of power** and delivers hot air between **120 and 1,200°F**. With a variety of professional grade features, the HG 2320 E is an excellent choice for working on heat-sensitive objects.

HIGHER DURABILITY (+20%)

OPTIMIZED WEIGHT BALANCE

KEY FEATURES



1000 hour brush motor



LCD display & residual heat indicator
Optimal temperature scanner



Fine dust filter



Toggle-controlled temperature



Heat build-up warning



HG 2320 E

PN: 110025598

BETTER

IDEAL IN ELECTROSTATIC PROTECTED AREAS

This durable, professional tool has all the features of the HG 2320 E while being the ultimate ESD-safe tool. Designed for power and results, this heat gun generates an impressive **1,600 watts of power** and delivers hot air between **120°F and 1,200°F**. With a variety of professional grade features, the HG 2320 ESD is an excellent choice for working on heat-sensitive objects.

IDEAL IN ELECTROSTATIC PROTECTED SPACES

DESIGNED FOR POWER AND RESULTS



KEY FEATURES



1000 hour brush motor



Higher durability and optimized weight balance



Fine dust filter



Toggle-controlled temperature



Heat build-up warning

HG 2320 ESD

PN: 110073503

STRONGEST PISTOL GRIP HOT AIR TOOL

BEST

This durable, professional tool weighs only 1.85 lbs. and produces hot air up to 3,000 Pa with absolute accuracy. Clearly read the LCD display and easily adjust the temperature from 120°F to 1300°F at 10° F steps with one hand to best fit your application. Set the airflow rate between 2-13 cfm and select any of the four individually tailored programs for simple, yet precise, operation. Utilizes professional standard nozzles making it ideal for construction site use.

WEIGHS 1.85 LBS



KEY FEATURES



Powerful 10,000 hour brushless motor



One-hand toggle temperature control



Easily replaceable power cord



Plug-in heating element



Residual heat indicator

STRONGEST PISTOL GRIP HOT AIR TOOL

HG 2520 E

PN: 110025599

1.888.610.7664



www.calcert.com

sales@calcert.com