

WÖHLER

CHECK IT OUT!



Wöhler RL 200
Refrigerant Leak Detector
As accurate as you!



Made in Germany

1.888.610.7664

 www.calcercert.com

sales@calcercert.com

>> Technical Data

Sensitivity (R134a)

3 g/a

Response time (R134a)

< 1 s

Detectable refrigerants

FCKW:	R11, R12, R500, R503
HFCKW:	R22, R123, R124, R502
HFKW:	R134a, R404a, R410a, R407C, R32
Others:	R290, R600a, R1234YF, Forming Gas (95% N ₂ + 5% H ₂)

Sensor

Zeroing:	Automatic or manual
Service life:	≥ year (in normal use)

Power supply

3 AA cells (alkaline)

Basic Set

Delivery contents

Wöhler RL 200 Refrigerant Leak Detector

Gooseneck 17.3"

Batteries

Plastic case

Item no.

● = included





Wöhler RL 200
Refrigerant Leak Detector

-
-
-
-

11361



Precise detection of all common refrigerants.

Advantages

- ▶ Precise and reliable detection of the smallest leaks due to high sensitivity (3 g/a)
- ▶ Meets the requirements of the F-Gas Regulation and DIN EN 14624:2012
- ▶ Easy to use due to digital display and automatic zero value setting



Scan the QR code and learn more!

© Wöhler 06/2025 The right to make changes, also of a technical nature, is reserved. // P/N 65111

WÖHLER

1.888.610.7664

 www.calcert.com

sales@calcert.com