



Quick Release Handle System

Available in a variety of kits:

- The Power Driver Set features the Switch Drive™ Handle, and a variety of power drivers in 3-1/2" and 6" lengths.
- The Power Nut Driver Set features the Switch Drive™ Handle and three 2" power nut drivers (1/4", 5/16" & 3/8").



Cat. No.	UPC 0-92644+	Description		Included Tips		Driver Length	Overall Length
32701	32701-8	Switch Drive™ Handle – Power Nut Driver Set	O 1/4"	O 5/16"	O 3/8"	2" (51 mm)	7.75" (197 mm)
32700	32700-1	Switch Drive™ Handle with #2 Phillips and #2 Square Drivers	# 2	O #2		6" (152 mm)	10.625" (270 mm)
32703	32704-9	Switch Drive Handle with #1 and #2 Phillips Drivers	# 1	# 2		6" (152 mm)	10.625" (270 mm)
32704	32703-2	Switch Drive Handle with #1 and #2 Square Drivers	O #1	O #2		6" (152 mm)	10.625" (270 mm)
32234	32234-1	Power Driver Set with Assorted Power Driver Bits	4 1 & #2	O #1 & #2	1 /4"	3-1/2" (89 mm)	3-1/2" (89 mm)

Designed for use with all Klein Power Tool Accessories

Any accessory with a 1/4" hex shaft* can be used with Klein's Switch Drive Handle. Klein's full line of impact rated power tool accessories includes Multi-Bit Drivers, Hollow-Shaft Nut Drivers, Power **Drivers** and **Conduit Reamers**. All the same functionality, quality and performance you expect from Klein. Precision machined to be the longest lasting and most versatile in the industry.

- Multi-Bit Power Drivers combine multiple screwdriver and nut driver functions in one.
- Hollow-Shaft Magnetic Nut Drivers, available in a variety of sizes, are designed for long bolts, studs or threaded rod jobs. The magnetic head holds nuts and bolts to aid in hard to reach installations. The wrench assist end is designed for high torque loosening found in many jobs.
- Power Drivers are precision machined, heat treated and finished in a variety of 3-1/2" and 6" lengths and Phillips, Slotted and Square Recess tips.
- The Power Conduit Reamer reams 1/2", 3/4" and 1" conduit either by hand or with a power drill.
 - * For best performance, always use Klein accessories.







