



WWJ14

**Precision, Specialty and Innovation . . . Since 1922**



# Face it!



## This is the cutting-edge Face Frame Jig System

### Clamp, drill and fasten in one simple set-up!

This easy-to-use system simplifies fabrication and increases productivity of face frames, cabinet doors and other woodworking assemblies. In one simple operation, you can align, securely clamp, bore pocket holes and screw components together – *right out of the box.*



**Specialty Tools & Instruments**

*Precision, Specialty & Innovation...since 1922*

General Tools & Instruments 80 White Street, New York, NY 10013



General Tools & Instruments



GeneralToolsNYC

1.888.610.7664

 [www.calcert.com](http://www.calcert.com)

[sales@calcert.com](mailto:sales@calcert.com)




# Check out General's full line of woodworking jigs



## Crown King Crown Molding Jig

helps you make seamless, perfectly mitered interior and exterior corner joints.


#880



## The E•Z Pro™ Mortise & Tenon Jig

lets you make perfectly matched mortise & tenon joints with one jig.

#870



## The E•Z Pro™ Dovetail Jig

lets you make dovetail and box joints – through or half-blind.

#861



## The E•Z Pro™ Pocket Hole Jig

has everything you need to make flush, corner and angle pocket hole joints.

#850



## The E•Z Pro™ Doweling Jig

lets you make perfectly aligned dowel joints every time.

#851








# PROFESSIONAL FACE FRAME JIG SYSTEM

## THE FIRST OF ITS KIND:

*Clamp, Drill and Fasten In One Simple Set-Up*

**SAVE TIME!  
INCREASE  
PRODUCTIVITY!**

Assemble professional quality face frames and cabinet doors using General's **NEW** patented Face Frame Jig System



- Accommodates Stock from 1-1/4" to 2-1/2" Wide
- Pocket Hole Spacing Adjustment 3/4" to 1-1/2"
- Stock Thickness Adjustment 3/4" to 1"
- Includes Step Drill with Locking Collar and Face Frame Fasteners
- Patent # US 6,394, 712 B1

### Professional Face Frame Jig System X1 - #8561

- 1 Face Frame System Jig
- 1 Face Frame System Heavy Duty T-Track (20")
- 1 Face Frame System Carriage Stop Set (2 Stops)
- 1 Face Frame System Step Drill
- 1 Face Frame System Square Drive Screwdriver Bit
- 1 Face Frame System Square Drive Fasteners (100 Fine)



### Professional Face Frame Jig System X2 - #8562

- 2 Face Frame System Jigs
- 2 Face Frame System Heavy Duty T-Tracks (20")
- 1 Face Frame System Carriage Stop Set (2 Stops)
- 1 Face Frame System Step Drill
- 1 Face Frame System Square Drive Screwdriver Bit
- 1 Face Frame System Square Drive Fasteners (100 Fine)

| UPC     | NO.         |                              |
|---------|-------------|------------------------------|
| 02194 6 | <b>8561</b> | Face Frame Jig System X1     |
| 02195 3 | <b>8562</b> | Face Frame Jig System X2     |
| 02191 5 | <b>856</b>  | Face Frame Jig               |
| 02193 9 | <b>856T</b> | Heavy Duty T-Track           |
| 02192 2 | <b>856S</b> | Carriage Stops (2)           |
| 00052 2 | <b>32</b>   | Step Drill                   |
| 02122 9 | <b>8492</b> | Square Drive Screwdriver Bit |
| 08498 9 | <b>8598</b> | Square Drive Fasteners (100) |



# CROWN KING

A CUTTING GUIDE FOR CROWN MOLDINGS

**Professionally Cut Perfectly Mitered Interior and Exterior Corner Joints – in the same alignment as they are installed on the wall**



## Create the Crown in Four Easy Steps

1. Measure
2. Set-Up
3. Cut
4. Install

### Eliminates:

- Difficult angle calculations
- Coping of joints
- Compound-angle cutting
- Auxiliary fences
- Confusing upside-down miter box positioning



45° Spring Angle  
Crown Molding Jig with  
Adapter for 52° and 38° Spring Angles

**No. 881**



UPC  
02200 4

NO.  
881





## Mortise &amp; Tenon Jig

GENERAL®

General Tools offers one of the best assortments of wood joining jigs available including our new Mortise and Tenon Jig, The Dovetailer II Jig, and the award-winning EZ Pocket Hole Jig and EZ Jointer Clamp Kits. These heavy-duty

woodworking tools are ideal for furniture building, cabinetry making and other professional carpentry projects. In addition, we offer plenty of wood joining accessories such as screws, plugs and drill bits.


E•Z Pro™

## MORTISE &amp; TENON JIG

- Create professional matching Mortise & Tenon Joints Right Out of the Box
- The first of its kind, all-in-one precision machined Mortise & Tenon Jig
- Produce 1/4", 3/8" and 1/2" Mortise and Tenons
- Includes: 1/4" high-speed steel spiral upcut router bit and User's Manual



The Mortise & Tenon joint has been used for thousands of years. Not until now has someone figured out how to provide a fast and straightforward all-in-one solution for cutting both a matching mortise & tenon with a single affordable jig. General's E•Z Pro™ Mortise & Tenon Jig is ready to use right out-of-the-box to produce the widely used 1/4" mortise and tenon joint. Using a plunge router with the jig, woodworkers of all levels can quickly and easily cut both mortises and tenons ranging from 1/4" to 1/2" thick, and from 1" to 3" wide. Without difficulty, this unit can easily handle wood stock ranging from 1/2" to 1-1/2" thick and can cut multiple mortises in a single long piece.



No. 870

Patent Pending



- Length: 14-1/2" Width: 4-1/2" Height: 4" Weight: 2-1/2 lbs
- Kit includes: 1/4" Spiral upcut router bit, Bushing kit, Wrench, User's manual

UPC  
26008 3NO.  
870



**E•Z Pro™**

**“The Easy Way to Make Professional Furniture Joints”**

# THE DOVETAILER II

## DOVETAIL JIG

**With the E•Z Pro™ Dovetailer II and your router, you can cut Professional Dovetail Joints, Simply and Accurately ... Right Out Of The Box!**

- Self-aligning design ensures that both ends of the dovetail joint match-up evenly every time
- Sturdy machined one piece aluminum construction
- Easily adjusts the dovetail interference to create loose or tight joints
- Portable to your worksite or home workshop
- Use with hand or table router
- New table router control knobs assure safe, comfortable and accurate use
- No need to bolt to the jig onto workbench like many expensive dovetail jigs
- Integrated clamps allow precise clamping of jig to work piece
- Accommodates boards of any widths
- Length: 12"; Width: 3"; Height: 3"; Weight: 2-lbs. 1.1oz.

**Kit includes:** 1/2" Dovetail Router bit, User's Manual




Cuts Half-Blind Joints



Cuts Through Joints



**No. 861**  
Patent No. 7828024



| UPC     | NO. |
|---------|-----|
| 00861 9 | 861 |

No. 861  
UPC 02124

Patent #  
7828024

No. 861  
UPC 02124







## WOOD JOINING TOOLS

# Pocket Hole Jig



Pocket hole joints are sturdy and simple to make with a drilling jig. By drilling steeply pitched counterbores in one joint member, you can drive self-

tapping screws into the other without pilot holes. Ideal for leg and rail connections and face frame cabinet construction.

# E-Z Pro<sup>TM</sup> Pocket Hole Jig Kits



**No. 849**

- Ideal for leg-and-rail connections, cabinet construction, sneaking screws into tight-squeeze spots or fastening picture frame miters
- Heavy-duty aluminum extrusion and hardened steel bushings
- By drilling steeply pitched counterbores in one joint member, you can drive self-tapping screws into the other joint member without pilot holes
- Built to be portable or bench mounted

### 849 KIT INCLUDES

- 1 Pocket Hole Jig; 3/8" Step Drill Bit; 1 3/8" Drill Stop and Hex Wrench; 6" Steel Square Drive Bit; Square Drive Screws, Instructions

UPC  
00515

NO.  
849



**No. 850**

### 850 KIT INCLUDES

- 1 Pocket Hole Jig; 3/8" Step Drill Bit; 1 3/8" Drill Stop and Hex Wrench; 6" Steel Square Drive Bit; 25 Course Square Drive Screws; 25 Fine Square Drive Screws; 25 Wooden Pocket Hole Plugs, Hard Molded Carrying Case and Instructions



The mark of responsible forestry



UPC  
00850 0

NO.  
850



# **E-Z Pro™ Woodworking**

**For the Professional and the Do-It-Yourselfer**



849

## **E-Z Pro™ Pocket Hole Jig Kit**

**Award Winning Ingenuity!**



850



### **SMART DESIGN**

- Heavy-duty aluminum extrusion & hardened steel drill bushings
- Built to be portable or bench mounted, and designed with a built-in clamping system

### **THREE TYPES OF POCKET HOLE JOINTS**

- Flush, Corner & Angle



Patent No. 6,254,320



Photos property of  
Woodworker's Journal



# WOOD JOINING TOOLS

## Doweling Jig Kits

**GENERAL®**

Our E-Z Pro Doweling Kits includes everything you need to make beautiful wood joints like a pro! This heavy-duty aluminum jig simplifies the doweling process, allowing you to create Edge-to-Edge,

Right Angle and Edge-to-Surface joints with little effort. No. 8401 Dowel Accessory Kit can be used with both the No. 840 and No. 841 Doweling Jigs.

# E-Z Pro™ DOWELING JIG KITS

## 841 DELUXE DOWELING JIG KIT

- Dowels add mechanical strength to butt joints and keep miters lined up during clamping
- The pointed notches on the working edges of our jig centers the drill bit automatically for precise registration
- Create 3 types of dowel joints: Edge to edge, right angle, edge to surface, as well as 3 sizes of dowel joints: 1/4", 5/16" and 3/8"
- Ideal for 5/8", 3/4" and 1" thick stock

- **Kit includes:** 1 Dowel Jig; 3 Brad Point Drill Bits; 1/4", 5/16", 3/8"; 3 steel stop collars, 1/4", 5/16" and 3/8" with Hex Wrench, 6 Dowel Center Points; 2 each of 1/4", 5/16" 3/8", supply of wood dowels, Instructions

| UPC    | NO. |
|--------|-----|
| 000317 | 841 |



**No. 841**



The mark of responsible forestry



Patent No. 7,001,118

## 851 DELUXE DOWELING JIG KIT

The **Deluxe Doweling Jig Kit** allows users to produce three types of strong, precision dowel joints in three sizes (1/4 in., 5/16 in. and 3/8 in.) with little effort. Whether creating edge-to-edge, right angle corner or right angle edge-to-surface dowel joints, the heavy duty aluminum jig effectively simplifies the process and is anodized in a gold color to impede corrosion. The pointed notches on the working edges of the jig center the drill bit automatically for precise registration. The included wood dowels add mechanical strength to butt joints and keep miters lined up during clamping.

- **Kit includes:** 1 Dowel Jig; 3 Brad Point Drill Bits (1/4 in., 5/16 in. and 3/8 in. diameter); 3 Steel Stop Collars (1/4 in., 5/16 in. and 3/8 in. diameter) with Hex Wrench; 3 Bushings (1/4 in., 5/16 in. and 3/8 in. diameter); 6 Dowel Center Points (2 each of 1/4 in., 5/16 in. and 3/8 in. diameter); 3 sets of 1-1/2 in. long Wood Dowels (24 each of 1/4 in., 5/16 in. and 3/8 in. diameter); Wood Glue; Instructions

| UPC     | NO. |
|---------|-----|
| 08401 9 | 851 |



Photos property of Woodworker's Journal

1.888.610.7664

 [www.calcort.com](http://www.calcort.com)

[sales@calcort.com](mailto:sales@calcort.com)




# WOOD JOINING TOOLS Pro Doweling Kit

General's Pro Doweling Jig is a precision jig that assures the accurate line-up of dowel holes in furniture and carpentry. Simply clamp the jig onto



your workpiece to quickly and accurately drill holes for dowel pins requiring exact alignment in the edge, end or surface of your work.



## PRO-DOWELING KIT



840



For clean joints that need to be strong and fastener-free, there's almost no substitute for the dowel joint. However, if dowel holes are even slightly askew, the dowels won't mesh rendering the joint unusable. General's Pro Doweling Jig offers a simple, versatile way to produce precision edge-to-edge, right angle, or edge-to-surface joints. The Kit features: three size dowels (1/4", 5/16" and 3/8"), and the jig has three different drilling positions designed for stock of 5/8", 3/4" and 1" thick. Steel stops allow you to vary the depth of the cut. Perfect for joints that will be press fit or glued.



The mark of responsible forestry



### PRO-DOWELING KIT

- A precision jig that assures accurate line up of dowel holes in furniture and carpentry
- Revolving hardened sintered turret has six twist drill sizes
- Instructions included
- Drill sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
- **Kit includes:**
  - 1 Doweling Jig;
  - 3 Brad Point Drill Bits, 1/4", 5/16", 3/8";
  - Dowel Centers Set from 3/16" ID to 1/2" OD;
  - 3 Drill Stops, 1/4", 5/16", 3/8";
  - 30 Dowel Pins, 10 each 1/4", 5/16", 3/8";
  - Wood Glue

| UPC     | NO. |
|---------|-----|
| 24120 7 | 840 |





# Jointer Clamps

General's E•Z Pro™ Jointer Clamp Kit is the alternative to expensive jointers. Now, you can straight-line rip crooked boards using your table saw! Just attach your crooked board to a piece of straight stock using the Jointer

Clamps and run the stock along the rip fence to rip the crooked board. Works in two easy passes. Great for use with long stock. Patented swing arm design allows you to accurately rip wide boards with ease.

## E•Z Pro™ TRU-EDGER JOINTER CLAMPS



E-Z Jointer Clamp Kit (Model 846) under US Patent #7000519, is the long-awaited alternative to expensive jointers. Now, you can straight-line rip or joint crooked boards using your table saw! Just attach your crooked board to a piece of straight stock using the Jointer Clamps and run the stock along the rip fence to rip the crooked board. The Jointer Clamp works in two easy passes and is great for use with long stock.

- The long awaited alternative to expensive jointers!
- Straight line rip crooked boards on your table saw
- Get a dead-flat edge every time, with no extra waste
- The jointer clamps work on any length stock up to 2" thick
- Instructions included

| UPC     | NO. |
|---------|-----|
| 00001 0 | 846 |



Patented Swing Arm design allows you to accurately rip wide boards with ease



Photos property of  
Woodworker's Journal





## WOOD JOINING TOOLS

# Precision Drill Guide

The AccuDrill Precision Drill Guide adds a whole new level of accuracy to your standard power drill. The AccuDrill is great for angle drilling, doweling, plug cutting and even edge sanding. With the easy-to-use protractor scale, you can


adjust the Drill Guide in five degree increments from 0-45°, left and right. In addition, V-Guides on the base permit drilling through dowel or other rounded stock. Attaches to all 3/8" and 1/2" power drills. Folds for tool-box storage.



## PRECISION DRILL GUIDE

- Attaches to all 3/8" and 1/2" power drills
- Cross slide lock for accurate shaping and carving
- 3/8" capacity drill chuck with key
- Positive stop for accurate drill depth control
- Dual locking knob and handle holds precise angle setting
- Folds flat for tool box storage
- Easy-to-read protractor scale has 5° graduations (0° - 45° left or right)
- V-guides automatically center round stock for drilling
- Self centering channel for edge drilling

UPC NO.  
23059 1 36/37



36/37

1 For Round Bar Center Drilling

2 Straight Edge Center Drilling







## WOOD JOINING TOOLS

# Pocket Hole Accessories




Pocket-hole joinery or pocket-screw joinery is one of the best methods for joining two pieces of wood to ever come down the pike. Fixing a squeaky chair, or a wiggly table, is as easy as adding a few pocket

holes and screws to pull the separating pieces together. General's Pocket Hole Screws No. 8497 and 8498 are used specifically for this purpose and are offered in both fine and coarse thread.

8497  
8498



No. 8497 shown  
actual size of 1-1/4"




### POCKET HOLE SCREWS

- Self-tapping
- Use a coarse thread screw in soft material (8497)
- Use a fine thread screw in hardwoods (8498)
- Nickel-plated
- Pan Head
- Size: 1-1/4"

| UPC     | NO.         | DESCRIPTION   | QTY. |
|---------|-------------|---------------|------|
| 08497 2 | <b>8497</b> | Coarse Screws | 100  |
| 08498 9 | <b>8498</b> | Fine Screws   | 100  |

8497 shown

8495



### POCKET HOLE PLUGS

Pocket Holes are often hidden from sight on the back surface of a face frame, under a table top, or on the back of picture frame. What do you do about unattractive pocket holes that will be visible on a finished product the answer? Pocket hole plugs! These wood plugs, made from 100% hardwood, can make the pocket holes beautifully disappear.

| UPC     | NO.         | DESCRIPTION                 | QTY. |
|---------|-------------|-----------------------------|------|
| 02123 6 | <b>8495</b> | Pocket Hole Plugs, Hardwood | 50   |

32



### E-Z™ PRO STEP DRILL BIT

The E-Z Step Drill Bit is great for creating pocket hole joints or counter boring. The 3/8" bit is made of high speed steel and includes a drill stop and hex wrench for accurate setting of drill depth. This item can also be used as a replacement bit for General's Pocket Hole Jig Kit (#849) and Deluxe Pocket Hole Jig Kit (#850).

- 3/8" x 6" (9.5 x 152mm) step drill bit
- High speed steel
- Ideal for creating pocket hole joints and counter-boring
- Includes 3/8" (9.5mm) steel drill stop with hex wrench

| UPC     | NO.       |
|---------|-----------|
| 00052 2 | <b>32</b> |



# Pocket Hole & Dowling Accessories

## SQUARE DRIVE BITS

For use with General's Pocket Hole Screws. These drive bits are essential for building decks, benches, tables and other woodworking projects. General's Square Drive Bits have a hardened steel tip that assures perfect fit and lasts longer.

- #2 Square drive bits
- 3" (76mm) length
- 6" (152mm) length
- Use with deck screws

| UPC     | NO.  | DESCRIPTION                              |
|---------|------|------------------------------------------|
| 02122 9 | 8492 | 2-#2 Square Drive Bits<br>3" and 6" long |



## PLUG CUTTERS

Whether you're building cabinets, toys, decks, furniture or railings, wooden plugs are a neat way to cover up the screw heads. Made from hardened alloy steel, General's Plug Cutters will cut a 3/8-inch plug from any wood stock and eject it, whether it's chucked in a press or hand-held drill. This is a great economical bit, perfect for homeowners.

- General's Plug Cutters produce accurate plugs for covering screw holes in decking, flooring and other woodworking projects
- Permits choice of matching or contrasting plugs for decorative effect
- Engineered to start cutting plugs easily with hand-held drills or drill press

- Cutter will produce and eject straight plugs from stock up to 3/4" thickness
- Made of hardened alloy steel

- Individual sizes:

| UPC     | NO. | SHANK | DIA.      |
|---------|-----|-------|-----------|
| 23024 9 | 31A | 3/8"  | 3/8" dia. |
| 23030 0 | 31B | 3/8"  | 1/2" dia. |
| 23033 1 | 31C | 3/8"  | 5/8" dia. |

- Set of 3 Diameters - 1/4", 3/8", 1/2":

| UPC     | NO. | SHANK |
|---------|-----|-------|
| 23036 2 | S31 | 3/8"  |



31A

31B

31C

## DRILL STOP SET

- For use on twist or brad point drills to prevent excessive drill penetration
- Positive depth control assures exact hole depths for multiple drilling jobs
- Black oxide finish on cold rolled steel

- Includes hex wrench

| UPC     | NO.  | SIZES INCLUDED                                                            |
|---------|------|---------------------------------------------------------------------------|
| 23096 6 | S838 | 3/16" dia., 1/4" dia.,<br>5/16" dia., 3/8" dia.,<br>7/16" dia., 1/2" dia. |



S838

## DOWEL CENTERS

- General's dowel centers are the quickest and most accurate method to locate, transfer and match dowel holes
- Made of nickel plated steel

- **Set includes:** 8 pcs., two of each size: 1/4", 5/16", 3/8", 1/2" diameter

| UPC     | NO. | Dowel centers |
|---------|-----|---------------|
| 25099 5 | 888 |               |



888

## DOWEL ACCESSORY KITS

- **8401 Kit** includes: 3 Drill Bits - 1/4", 5/16", 3/8"; 3 Drill Stop Collars, 6 Dowel Centers, 10 ea. Fluted Dowel Pins 1/4", 5/16", 3/8"
- Replacement bit for General's E-Z Pocket Hole Jig Kit (No. 849)
- Accessories Kit for General's Pro Doweling Kit (No. 840) and E-Z Dowel Kit (No. 841)
- **841014 Kit** includes: 12-1/4" Dowel Pins, 1-1/4" Brad Point Drill Bit, 1-1/4" Drill Stop Collar, 2-1/4" Dowel Centers, 1 Hex Key
- **841516 Kit** includes: 12-5/16" Dowel Pins, 1-5/16" Brad Point Drill Bit, 1-5/16" Drill Stop Collar, 2- 5/16" Dowel Centers, 1 Hex Key
- **841038 Kit** includes: 10-3/8" dowel Pins, 1-3/8" Brad Point Drill Bit, 1-3/8" Drill Stop Collar, 2-3/8" Dowel Centers, 1 Hex Key

| UPC     | NO.    |                           |
|---------|--------|---------------------------|
| 08401 9 | 8401   | Dowel Accessory Kit       |
| 02119 6 | 841014 | 1/4" Dowel Accessory Kit  |
| 02120 2 | 841516 | 5/16" Dowel Accessory Kit |
| 02121 9 | 841038 | 3/8" Dowel Accessory Kit  |



841516



8401



As an FSC (Forest Stewardship Council), certified company, General's Wood Joining Program includes wood based products that are manufactured in accordance with FSC standards. The FSC is an independent, non-

governmental, not-for-profit organization established to promote the responsible management of the world's forests and is nationally represented in more than 50 countries around the world.



840014  
840516  
840038  
840012

840014 shown

### FLUTED DOWEL PINS

A fluted dowel pin has a series of parallel grooves cut along its length providing channels through which excess glue—that is used to secure the dowel pin in its hole—can escape as the dowel is inserted. This relieves the hydraulic pressure that might otherwise split the timber when the mating pieces are clamped together. General's fluted dowels are ideal for creating strong and secure joins in furniture, cabinets, trim and special woodworking projects.



- Made of straight-grained solid hardwood
- Expands when used with water-based glue for extra tight join
- Fluted for easy insertion

| UPC     | NO.           | DESCRIPTION             | QTY. |
|---------|---------------|-------------------------|------|
| 02101 4 | <b>840014</b> | 1/4" Fluted Dowel Pins  | 72   |
| 02102 1 | <b>840516</b> | 5/16" Fluted Dowel Pins | 50   |
| 02103 8 | <b>840038</b> | 3/8" Fluted Dowel Pins  | 35   |
| 02104 5 | <b>840012</b> | 1/2" Fluted Dowel Pins  | 20   |



313038  
313012  
315516  
315038  
315012

313038 shown

### FLAT HEAD PLUGS

- Premium Flat Head Screw hole Plugs have a tapered tenon to insure a tight fit
- Designed to form a flush finish in furniture and other woodworking applications
- Paint or stain for a perfect wood-color match or for accentuated contrast



| UPC     | NO.           | DESCRIPTION                     | QTY. |
|---------|---------------|---------------------------------|------|
| 02109 0 | <b>313038</b> | 3/8" Flat Head Plugs, Oak       | 50   |
| 02110 6 | <b>313012</b> | 1/2" Flat Head Plugs, Oak       | 50   |
| 02113 7 | <b>315516</b> | 5/16" Flat Head Plugs, Hardwood | 50   |
| 02114 4 | <b>315038</b> | 3/8" Flat Head Plugs, Hardwood  | 50   |
| 02115 1 | <b>315012</b> | 1/2" Flat Head Plugs, Hardwood  | 40   |



311038  
311012  
312038  
312012

311038 shown

### BUTTON HEAD PLUGS

Button Head plugs are ideal for filling in those unsightly screw holes and can be installed easily with wood glue. Button head plugs can be used for a variety of craft, wood working and furniture projects.

- When fully-seated, the domed, button head protrudes above the wood surface and over the screw hole edge adding a more decorative look
- Slightly tapered plug body to ensure a tight secure fit



- Wood grain runs in the direction of the plug width for best match
- Paint or stain for a perfect wood-color match or for accentuated contrast

| UPC     | NO.           | DESCRIPTION                 | QTY. |
|---------|---------------|-----------------------------|------|
| 02105 2 | <b>311038</b> | 3/8" Button Plugs, Oak      | 50   |
| 02106 9 | <b>311012</b> | 1/2" Button Plugs, Oak      | 50   |
| 02107 6 | <b>312038</b> | 3/8" Button Plugs, Hardwood | 50   |
| 02108 3 | <b>312012</b> | 1/2" Button Plugs, Hardwood | 50   |





The important characteristics of wood joints are strength, flexibility, toughness and appearance. Both exterior and interior temperature changes can cause major shifts in the moisture content of wood and can

compromise the strength and longevity of a joint. General's wood based joining products have been developed to provide strong joints that adjust to every day environmental changes.

### ROUND HEAD PLUGS

- Premium Round Head Screw hole Plugs with tapered tenon to insure tight fit
- Designed to form a slightly raised round finish in woodworking applications
- Paint or stain for a perfect wood-color match or for accentuated contrast



| UPC     | NO.           | DESCRIPTION                     | QTY. |
|---------|---------------|---------------------------------|------|
| 02112 0 | <b>314038</b> | 3/8" Round Head Plugs, Oak      | 50   |
| 02116 8 | <b>316038</b> | 3/8" Round Head Plugs, Hardwood | 50   |
| 02117 5 | <b>316012</b> | 1/2" Round Head Plugs, Hardwood | 40   |



314038 shown


314038  
316038  
316012

### SHAKER PEGS

Made from solid hardwood, General's Classic Shaker pegs can be useful throughout the entire house. Install them in the foyer or mud-room, kitchen, bathroom, child's room etc. Hang your favorite coffee mugs, towels, hats, neck ties, toys and even herbs!

- Create customized pegboards to better organize your work and living spaces
- Use General's Shaker pegs to replace damaged pegs in your pegboards
- Paint or stain for a perfect wood-color match or for accentuated contrast

| UPC     | NO.           | DESCRIPTION | QTY. |
|---------|---------------|-------------|------|
| 02118 2 | <b>317000</b> | Shaker Pegs | 2    |



Shown Actual Size



317000

### BISCUITS

Wood Biscuits, sometimes referred to as Wood Plates or Wafers, are used for edge or corner-jointing. When General's biscuits come into contact with water based glue they swell, thus creating a 'locked' joint for a strong secure fit.

- Used for Wood Joinery with Biscuit Joiners
- Great for furniture, cabinets and trim
- Biscuits soak up water-based glue for a tighter wood joint

| UPC     | NO.           | DESCRIPTION | QTY. |
|---------|---------------|-------------|------|
| 02134 2 | <b>318000</b> | Size #0     | 50   |
| 02135 9 | <b>318010</b> | Size #10    | 50   |
| 02136 6 | <b>318020</b> | Size #20    | 50   |
| 02133 5 | <b>318050</b> | Size FF     | 50   |



318000

# Circle Cutters

**GENERAL®**

General's Circle Cutters produce precision circles in sheet metal, brass, copper, soft steel, aluminum, plastic, wood and composition materials. Bodies are constructed of heat treated tool steel for durability.

The replaceable cutter blades are made of high-speed steel for precise and clean cuts. Circle Cutters are adjustable for cutting various diameter holes. A hex wrench is included for adjustments.

## 4" MAX CIRCLE CUTTER

- Round shank circle cutter
- Replaceable high-speed steel cutting blade and replaceable 1/4" pilot drill
- All adjustments are made with a hex wrench which is included
- **Maximum safe speed is 500 RPM**
- **For use with drill press only**

| UPC     | NO.        | DESCRIPTION       |
|---------|------------|-------------------|
| 21003 6 | <b>04</b>  | 4" Circle Cutter  |
| 27006 1 | <b>4</b>   | Replacement Drill |
| 27003 0 | <b>4/5</b> | Replacement Blade |

- Capacity: 7/8" to 4"
- Shank: 3/8" Round

## WHEEL AND CIRCLE CUTTER

- General's Wheel and Circle Cutter is the only one that cuts the exact diameter you need anywhere from 1" to 6" (26 to 152mm)
- Ideal for woodworkers, model builders, clockmakers, and hobbyists
- Produces precision circles and holes in sheet metal, brass, copper, aluminum, plastic, wood, and composition materials
- Change from circle to wheel cutting by simply reversing the double ended blade
- Sturdy round shank for use in any drill press or drill stand with 3/8" chuck

- Replaceable double ended 9/32" cutter blade is made of high-speed steel for precise clean cuts
- All adjustments are made with a hex wrench which is included
- **Maximum safe speed is 500 RPM**
- **For use with drill press only**

| UPC     | NO.           | DESCRIPTION       |
|---------|---------------|-------------------|
| 21010 4 | <b>06</b>     | Circle Cutter     |
| 21014 2 | <b>5/6/55</b> | Replacement Drill |
| 21013 5 | <b>6</b>      | Replacement Wheel |

- Capacity: 1" to 6"
- Shank: 3/8" Round

## 6" MAX CIRCLE CUTTER

- Has been a General Tools customer favorite for more than 30 years
- Adjusts from 1" to 6" (26 to 152mm) diameter circles
- Replaceable high-speed steel blade and replaceable 1/4" pilot drill
- All adjustments are made with a hex wrench which is included
- **Maximum safe speed is 500 RPM**
- **For use with drill press only**

| UPC     | NO.           | DESCRIPTION       |
|---------|---------------|-------------------|
| 21009 8 | <b>5B</b>     | Circle Cutter     |
| 21014 2 | <b>5/6/55</b> | Replacement Drill |
| 27003 0 | <b>4/5</b>    | Replacement Blade |

- Capacity: 1" to 6"
- Shank: 3/8" Round

## HEAVY-DUTY CIRCLE CUTTER

- General's industrial quality cutter is most preferred by professionals
- 1/2" round shank for drill press use
- Replaceable high-speed tool steel blade and replaceable 1/4" pilot drill
- Markings on beam for easy measurement

- All adjustments are made with a hex wrench which is included
- **Maximum safe speed is 500 RPM**
- **For use with drill press only**

| UPC     | NO.           | DESCRIPTION       |
|---------|---------------|-------------------|
| 21012 8 | <b>55</b>     | Circle Cutter     |
| 21014 2 | <b>5/6/55</b> | Replacement Drill |
| 27015 3 | <b>55</b>     | Replacement Blade |

- Capacity: 1-3/4" to 7-7/8"
- Shank: 1/2" Round

## WASHER AND GASKET CUTTER

- This tool cuts washers and gaskets in leather, rubber, cork, graphite, fiber, copper and other soft materials
- Combination round and square shank permits use with bit brace or hand drill
- Made of steel with graduated beam to adjust to diameters from 5/8" to 6-1/2" (16 to 165mm)
- Replaceable tool steel Cutter Blades No. 11B

- Two independently adjustable cutter blades cut inside and outside diameters simultaneously
- **Maximum safe speed is 100 RPM**
- **For hand held variable speed drills only**

| UPC     | NO.        | DESCRIPTION               |
|---------|------------|---------------------------|
| 21024 1 | <b>11</b>  |                           |
| 27024 5 | <b>11B</b> | Replacement blades (Pair) |

- Capacity: 5/8" to 6-1/2" (16 to 165mm)







Pilot Bits, countersink and counterbore precision screw holes in a single operation. Self-Centering Hinge Bits drill highly accurate pilot holes in cabinet and door hinges.

Stair gages assure fast and uniform layout in repetitive work including angle cuts on rafters and stair stringers.

- The rose pattern cutting flutes assure chatter free countersinking on steel, brass, aluminum, plastic, wood & other materials
- Made of high-speed steel with five flutes
- 82° point angle
- Stepped shank for use with 1/4" and 3/8" chucks



| NO.     | A    | B    | C    |
|---------|------|------|------|
| 195-1/2 | 1/2" | 3/8" | 1/4" |
| 195-5/8 | 5/8" | 3/8" | 1/4" |
| 195-3/4 | 3/4" | 3/8" | 1/4" |



| UPC     | NO.     |
|---------|---------|
| 23047 8 | 195-1/2 |
| 23053 9 | 195-5/8 |
| 23050 8 | 195-3/4 |

### SELF-CENTERING HINGE BITS

- Highly accurate bits are used for drilling pilot holes in cabinet and door hinges, door butts and all large and small hardware

- drill centered for perfect pilot holes
- Adjustable drill depth

- Spring loaded outer guide keeps the high speed

| UPC     | NO. | DRILL SIZE | DRILL DEPTH | SCREW SIZE        |
|---------|-----|------------|-------------|-------------------|
| 22154 4 | 291 | 5/64"      | 1/8"        | 3 & 4 screw size  |
| 22149 0 | 292 | 7/64"      | 7/32"       | 5 & 6 screw size  |
| 22150 6 | 293 | 9/64"      | 5/16"       | 8 & 10 screw size |



### JIFFY CENTERING PUNCH

- For quickly starting screw holes when attaching countersunk hardware such as hinges, hasps, hangers and drawer pulls
- Countersunk end ensures starting hole is centered in hardware screw hole

- Hardened steel pin
- Length: 2-1/2" (68mm)
- Body diameter: 3/8" (10mm)

| UPC     | NO. |
|---------|-----|
| 24018 7 | 806 |



### ADJUSTABLE PILOT BITS

Drill, countersink and counter-bore precision screw holes in a single operation with General's Adjustable Pilot Bit Set. Featuring four high-speed bits with adjustable lengths, this set can be a great time saver for fine carpentry and woodworking. The 1/4" hex shank allows the set to be used in both electric drills and power screwdrivers.

- Drill, countersink and counterbore precision screw holes in a single operation when doing fine carpentry and woodworking

- Hardened high-speed pilot bits give long life
- Black oxide finish deters rust
- 1/4" hex shanks prevents slippage in electric drills and can be used in power screwdrivers
- Adjustable drill and high performance angle on countersink

| UPC     | NO.  | SCREW SIZES                           |
|---------|------|---------------------------------------|
| 23041 6 | 34ST | Set of 4 Pilot Bits<br>(Sizes 5 - 14) |



34ST

### STAIR GAGE SET

- Brass plated steel stair gage assures fast and uniform layout in repetitive work including angle cuts on rafters and stair stringers
- Attaches easily to all metal rafter squares
- Set of 2 pieces

| UPC     | NO. |
|---------|-----|
| 24009 5 | 803 |



803



# WOOD WORKING TOOLS

## Digital Layout Tools



General has a full range of specialized digital tools designed for measurement operations necessary in construction jobs, cabinet making and fine

carpentry. Woodworkers trust the quality, accuracy and value that General Tools gives them. It's your job . . . General Tools make it easier.

**THE 1st  
OF ITS KIND!**

### DIGITAL SLIDING T-BEVEL

- 2 Tools in 1 - Digital Sliding T-Bevel and Protractor
- Large digital angle readout
- Holds measurement for transfers
- Reverse Display button, Flip Display button, Locking Knob for manual measurement transfer
- 4 function control buttons
- Auto Shut off feature
- 8" Stainless Steel blade
- Impact resistant ABS handle

- Full LCD Display
- Measures and transfers angles
- Range: 0-360°
- Resolution: .05°
- Accuracy: 0.3°
- Voltage: DC 2.5V-3.2V
- Power Source: 1 "CR2032" 3V Lithium battery (included)

| UPC     | NO. |
|---------|-----|
| 08280 7 | 828 |

828  
Patent Pending

**PopMech** EDITOR'S CHOICE AWARDS **11**



### DIGITAL PRECISION PROTRACTOR

The Digital Protractor displays absolute and relative angle measurements in a large, easy-to-read LCD window

- Installing crown molding, cabinetry, counters, staircases, roofs, windows or flooring
- Takes the guesswork out of measuring, marking, reading and transferring angles
- 6" (150mm) stainless steel protractor arm with knurled locking nut
- Large, easy-to-read display
- Absolute and relative measurements
- Range: 0 to 180° • Resolution: 0.05° • Accuracy: 0.1°
- Display can be inverted for easy reading
- Measurement hold function
- Power Source: 1 "CR2023" (3.0V) battery (included)

| UPC     | NO.  |
|---------|------|
| 26008 6 | 1702 |




1702  
Patent Pending

### 5" AND 10" DIGITAL ANGLE FINDER RULES

- Digital stainless steel angle rules make precise measurements for easy woodworking
- Calculates interior (inside) and exterior (outside) angles easily and accurately in seconds
- Lock and reverse angle features: for all types of work
- Large easy to read LCD display
- Hinge mechanism allows a full 360 degrees to measure inside/outside and reverse angles
- Can be zeroed at any point in the swing
- Overall Length for 822: 7" Width: 1-3/8" Depth: 6/8"
- Overall Length for 823: 10-7/8" Width 1-3/8" Depth: 6/8"

| UPC     | No. |                          |
|---------|-----|--------------------------|
| 00822 7 | 822 | 5" Digital Angle Finder  |
| 00823 4 | 823 | 10" Digital Angle Finder |



822


823





General's newest "Fraction +" Caliper has a three mode digital display. Measuring in inches, metric and fractions it offers everything for the hobbyist to the professional.

The Combination Squares are specifically designed for carpenters, the woodworking trade, the do-it-yourselfer and home mechanics. A necessary tool for every carpenter and home workshop.



## FRACTION+

### DIGITAL FRACTIONAL CALIPERS

- No. 147, No. 1478, No. 14712 are heavy-duty stainless steel construction
- No. 146, No. 1433 are constructed of non-marring carbon fiber
- Convenient auto-off feature
- Three mode digital display: Decimal Inches, Fractional and Metric
- Inside, outside, depth & step measurements
- Accuracy: +/- 0.001" +/- 0.02mm
- Resolution: 0.0005", 0.01mm, 1/64"
- Power Source: 1 "SR44" battery (included)

| UPC     | NO.          | RANGE               |
|---------|--------------|---------------------|
| 01433 7 | <b>1433</b>  | 0 - 3" (0 - 76mm)   |
| 01460 3 | <b>146</b>   | 0 - 6" (0 - 153mm)  |
| 01470 2 | <b>147</b>   | 0 - 6" (0 - 153mm)  |
| 01478 3 | <b>1478</b>  | 0 - 8" (0 - 203mm)  |
| 14712 7 | <b>14712</b> | 0 - 12" (0 - 305mm) |



147



The 146 & 1433 Digital Display



The 147, 1478 & 14712 Fractional Display

### PROFESSIONAL CARPENTER'S COMBINATION SQUARE

- Specially designed for carpenters and the woodworking trades
- Machined and enameled cast iron head has precision level and scribe for producing right and 45° angles
- 12" x 1" (305 x 26mm) steel blade is graduated in 8ths, 16ths, and 32nds
- Conforms to government specifications: GGG-S-656C

| UPC     | NO.           | FRONT          | GRADS | BACK         |
|---------|---------------|----------------|-------|--------------|
| 24036 1 | <b>812</b>    | 8ths, 16ths    |       | 16ths, 32nds |
| 22193 3 | <b>812-CA</b> | Clamp Assembly |       |              |




812

### UTILITY COMBINATION SQUARE

- Economy version of the carpenter's combination square is perfect for the do-it-yourselfer and home mechanic
- 12" x 1" (305 x 26mm) steel blade is graduated in 8ths, 16ths, and 32nds
- Heavy zinc cast head with level and scribe

| UPC     | NO.        | FRONT       | GRADS | BACK         |
|---------|------------|-------------|-------|--------------|
| 24030 9 | <b>811</b> | 8ths, 16ths |       | 16ths, 32nds |




811

### SINGLE BAR MARKING GAGE

- 6" (153mm) adjustable bar is nickel plated steel graduated in 16ths
- Die-cast head
- Fine needle point for precision marking

| UPC     | NO.        |
|---------|------------|
| 24050 7 | <b>820</b> |



820

## Layout Tools

**GENERAL®**

General's Contour Gages can duplicate any shape. The pins on our gage slide to conform to irregular surfaces. This tool can be used for pattern and mold making, duplicating parts and contours.

Great for fitting carpet, floor tiles and linoleum against door casings and pipes. The **ANGLE-IZER™** can replace the need for making templates and can be used again and again. **The Ultimate Template Tool.**



833

**10" CONTOUR GAGE**

- Extra length is ideal for woodworking, linoleum installation, ceramic tile installation or any job where contour duplication is essential
- Gage will fit profiles up to 10" long
- Inch/mm graduations on body
- 3" (76mm) deep fingers will measure profiles up to 1-1/4" (32mm)
- Made from tough, durable plastic

| UPC     | NO. |
|---------|-----|
| 08330 2 | 833 |



837

**6" CONTOUR GAGE**

- Ideal for woodworking, linoleum installation, or any job or hobby where contour duplication is essential
- Inch graduation on body
- Stainless steel pins
- Component parts are enamel painted and brass plated
- Size is 6" x 3-1/2" (152 x 89mm) with an overall travel of 5-1/4" (133mm)

| UPC     | NO. |
|---------|-----|
| 24116 0 | 837 |



836

Patent No. Des. 402,217

**THE ANGLE-IZER™**

- The unique and versatile **ANGLE-IZER™** The Ultimate Template Tool eliminates the need for making templates and can be used again and again. Instructional CD included.
- The **ANGLE-IZER™** can be set-up in seconds not only improving quality but saving time
- Just form the tool into the shape of your work area, then use it to mark your work-piece to be cut
- Repeat accurate marking for creating bulls eyes, arches, repetitive angles or shapes

- Tool can be set to mark bricks, tiles, lumber and laminates
- All the arms are dual-calibrated in inches and metric measures
- Unique tightening mechanism for one-handed operations
- Fiberglass filled nylon for added strength and flexibility

| UPC     | NO. |
|---------|-----|
| 08360 9 | 836 |



REPETITIVE MARKING



MARKING LUMBER



ANGLES FOR PAVER BRICKS



TILING



SPACING AND GAUGING





General's Compasses and Layout Tools are designed for the specialized operations of measuring and layout necessary in construction

jobs, cabinet-making and fine carpentry. Woodworkers trust the quality and the value that General Tools provides.

### HOBBY DRILL GAGE

- Heavy gage stainless steel gage conveniently identifies drill bit sizes
- Etched graduations are filled in black to give high contrast and will not wear off
- Gage measures 2-3/8" x 6-3/4" (60 x 172mm) overall
- Stainless steel will not rust

| UPC     | No. | SPECIFICATIONS:                                 |
|---------|-----|-------------------------------------------------|
| 22011 0 | 24  | Fractional size drills<br>1/16" to 1/2" x 64ths |




24

### OUTSIDE, INSIDE & SLOPED ANGLE PROTRACTOR

- Use this protractor/angle finder to measure and mark the degrees of an angle on outside, inside and sloped angles
- Fine black graduations from 0° to 165° in opposite directions
- Brass lock nut

| UPC     | No. |
|---------|-----|
| 22148 3 | 29  |



29

### PROFESSIONAL QUALITY T-BEVEL

- Our T-bevel is the tool preferred by the craftsman who wants the finest quality tools
- Solid mahogany 5-1/2" (140mm) handle with brass trim and locking wing nut
- 10" (254mm) blade
- Conforms to government specifications: GGG-B-211b

| UPC     | No. |
|---------|-----|
| 24100 9 | 829 |



829

### PENCIL COMPASS AND SCRIBER

- Designed for marking contours and circles
- Positive wing nut adjustment
- Full-length hardened steel pin in metal frame for greater rigidity
- Constructed of brass plated steel

| UPC     | No.   | CAPACITY   |
|---------|-------|------------|
| 24132 0 | 843/1 | 8" (203mm) |



843/1

### PRECISION PENCIL COMPASS

- Carpenter quality compass is made of long lasting die-cast rust proof metal
- Spring tension adjustment for marking up to 9" (229mm) diameters
- Scribe guide for edge marking
- For use with pencil (included) or slim ballpoint pen

| UPC     | No. | CAPACITY   |
|---------|-----|------------|
| 24126 9 | 842 | 9" (229mm) |



842


27

# Trammels


**GENERAL®**

General's Adjustable Trammels accurately measure and mark distances that are too great for conventional compasses and dividers. Trammels will accurately transfer measurements, scribe arcs

and lay out circles. Points can be replaced with pencils, ballpoint pens, crayons or soap-stone sticks for marking various materials.



520




PROFILE VIEW

## PRECISION ADJUSTABLE TRAMMELS

- Draw large circles and measure sizable distances with the accuracy of a divider
- Fine adjusting screw sets points accurately
- Points are removable and may be replaced with the pencil holder
- Die-cast bodies with hardened and ground 3" (76mm) needlepoint legs
- Clamp opening for beam is 3/8" x 3/4" (10 x 19mm)
- Conform to government specifications: GGG-T-661b

| UPC     | NO.                                         |
|---------|---------------------------------------------|
| 23090 4 | <b>520</b>                                  |
| 31104 7 | <b>84P</b> Replacement points (12 per pkg.) |



523



PROFILE VIEW

## ADJUSTABLE TRAMMELS

- General's adjustable trammels accurately measure and mark distances that are too great for conventional compasses and dividers
- For layouts, marking templates, and drawing large circles
- 6" (153mm) eccentric points provide fine adjustments
- Points can be replaced with pencils, ballpoint pens, crayons, or soapstone sticks for marking various materials
- Clamps onto beam 5/8" to 1-1/2" (16 to 38mm) thick of any length

| UPC     | NO.        |
|---------|------------|
| 23093 5 | <b>523</b> |



524

PROFILE VIEW

## PRECISION TRAMMEL SET

- Will accurately transfer measurements, scribe arcs, and lay out circles too large for conventional compasses
- Will fit any scale, 1/2" to 1-1/8" (13 to 29mm) wide
- Two scriber points and two pencil points included
- Up to four points can be stored in body
- Free-wheeling thimble for greater precision
- Aluminum knurled body
- Steel collet holds replacement leads, scribes and crayons
- Points reverse into body for safety
- Ruler not included in set

| UPC     | NO.        |
|---------|------------|
| 23095 9 | <b>524</b> |



General's Scratch Awl is made from the finest materials for long life. This tool is designed for scribing and layout work, starting screw holes and piercing soft materials.

The Chisel/Plane Blade Sharpener keeps blades razor sharp. The graduated settings maintain the correct 30° cutting angle necessary for these blades.

### "ORIGINAL" DRILL GRINDING ATTACHMENT

- Engineered to permit sharpening of drill bits to factory accuracy
- Extends the life of drill bits
- Angle adjustments lock in to grind drill bits for more accurate drilling in a variety of materials
- Automatically adjusts to give correct clearance angle
- For use with ANSI, OSHA, and UL approved standard electric bench grinders or surface grinders
- Equally at home in machine shop and home workshop
- Instructions included

| UPC     | NO. | CAPACITY                                                                                                                    |
|---------|-----|-----------------------------------------------------------------------------------------------------------------------------|
| 24070 5 | 825 | Fractional drills 1/8" to 3/4", Number size drills 30 to 1<br>Letter size drills A to Z, Millimeter size drills 3.0 to 19.0 |




825



### HARDWOOD HANDLE SCRATCH AWL

- Alloy steel blade runs through the handle and is securely fastened to both the plated steel ferrule and the cap
- Hardwood fluted handle is contoured for comfortable grip

| UPC     | NO. | A              | B             |
|---------|-----|----------------|---------------|
| 24047 7 | 818 | 6-1/2" (165mm) | 3-3/4" (95mm) |



818

### CHISEL/PLANE BLADE SHARPENER

- Keeps chisel and plane blades razor sharp
- Graduated settings maintain correct 30° cutting angle on chisel or plane blade
- Spring clamp locks in blades up to 2-5/8" (67mm) wide
- Made of high impact fiberglass reinforced Lexan®
- Folds for storage

| UPC     | NO. |
|---------|-----|
| 24024 8 | 809 |



809

### FIBERGLASS FOLDING RULE

- Constructed of tough, flexible high-impact plastic, with fiberglass reinforcement for added durability
- 72" (1929mm) folding ruler with a 6" (152mm) extension for accurate inside measurements

| UPC     | NO.  | GRADS                                |
|---------|------|--------------------------------------|
| 25300 2 | 7200 | Outside readings graduated in 16ths. |



7200

Whether you're a professional contractor or a conscientious homeowner, General's ultra-sensitive hand-held pin or pinless Moisture Meters help you to easily detect hidden leaks in wood, concrete, plaster and carpet. Available as

both analog and digital models, the Meters provide accurate moisture level readings and are great for new home inspections, locating roof leaks or even selecting dry lumber at the yard.



MM1E

### PIN-TYPE LED BAR GRAPH MOISTURE METER

Ideal for use in woodworking, building construction and home inspection. Examples include:

- Checking for moisture in carpets and sub-flooring
- Checking wood, drywall and concrete before painting/wallpapering, sealing or treating
- Locating water leaks in roofs, floors and walls
- Selecting dry lumber

#### FEATURES:

- 10-LED display
- Two measurement ranges: 7 to 15% and 16 to 35%
- Protective cap doubles as calibration checker
- Full and low battery indications
- CE and RoHS approved

#### SPECIFICATIONS:

- ♦ Low Measurement Range: 7 to 15% WME (Wood Moisture Equivalent)
- ♦ High Measurement Range: 16 to 35% WME
- ♦ Measurement Accuracy:  $\pm 1$  LED ( $\sim 1\%$ )
- ♦ Dimensions: 6.5 x 2.7 x 1 in. (164 x 69 x 26mm)
- ♦ Weight: 3.2 oz. (91g) w/out battery
- ♦ Power Source: 1 "9V" battery (included)
- Includes:** • Protective Cap • Battery • User's Manual • 1-Year Limited Warranty

| UPC     | NO.  |
|---------|------|
| 10188 9 | MM1E |



MMD4E

### PIN-TYPE LCD MOISTURE METER

Ideal for use in woodworking, building construction, home inspection, lumber selection, water-damage restoration.

#### FEATURES:

- 99.9 count LCD w/0.4 in. high digits
- Wood/building materials selection switch
- Low, Medium and High moisture tones and on-screen icons
- Data hold + auto power off + low battery indicator
- Replaceable stainless steel pins (#PIND4E)
- Auto power off

#### SPECIFICATIONS:

- ♦ Overall Moisture Measurement Range: 5 to 50% for wood, 1.5 to 33% for building materials
- ♦ Wood Moisture Scales: 5 to 11.9% (low); 12 to 15.9% (medium); 16 to 50% (high)

- ♦ Building Materials Scales: 1.5 to 16.9% (low); 17 to 19.9% (medium); 20 to 33% (high)
- ♦ Measurement Accuracy:  $\pm 3\%$  of reading
- ♦ Measurement Resolution: 0.1%
- ♦ Dimensions: 6.0 x 2.6 x 0.8 in. (152 x 66 x 20 mm)
- ♦ Power Source: 1 "9V" battery (included)

- Includes:** • Protective cap • Battery • User's manual • 1-Year Limited Warranty

| UPC     | NO.                     |
|---------|-------------------------|
| 41447 7 | MMD4E                   |
| 01499 8 | PIND4E Replacement pins |



MMD5NP

### PINLESS LCD MOISTURE METER

Ideal for measuring moisture content of wood and other construction materials.

#### FEATURES:

- Non-invasive measurement technique
- Jumbo display
- Wide measurement range
- Intuitive on-screen icons: Low/Medium/High moisture content; wood/concrete mode
- Data hold
- Audible peak reading alert
- Auto Power Off
- Low and very low battery warnings

#### SPECIFICATIONS:

- ♦ Measurement Ranges: 0 to 99.9% WME (Wood Moisture Equivalent) for wood; 0 to 56.5% for building materials
- ♦ Measurement Accuracy / Resolution:  $\pm 3\%$  / 0.1%
- ♦ Measuring Depth: 3/4 in. (20mm)
- ♦ Display Type/Size: 99.9 count LCD with 0.4 in. (10mm) high digits
- ♦ Operating Temperature: 32° to 122°F (0° to 50°C) @ <80%RH
- ♦ Dimensions: 5.75 x 2.6 x 0.75 in. (146 x 66 x 19 mm)
- ♦ Power Source: 1 "9V" battery (included)
- Includes:** • Battery • User's Manual • 1-Year Limited Warranty

| UPC     | NO.    |
|---------|--------|
| 40142 2 | MMD5NP |



## PINLESS LCD MOISTURE METER W/TRICOLOR BAR GRAPH

Ideal for measuring moisture content of wood and other construction materials.

### FEATURES:

- Separate settings for drywall, masonry, softwood and hardwood
- 2 in. backlit LCD + 3-color LED bar graph
- Non-invasive technology with 3/4 in. maximum sensing depth
- $\pm 4\%$  accuracy on wood
- Auto calibrating
- Data hold
- Separate out-of-range alarms for wood and building materials
- Auto power off

### SPECIFICATIONS:

- ◆ Measurement Ranges: 0 to 53% for softwood; 0 to 35% for hardwood
- ◆ Measurement Accuracy / Resolution:  $\pm 4\%$  / 1%
- ◆ Maximum Sensing Depth: 3/4 in.
- ◆ Dimensions: 6.7 x 2.9 x 1.2 in.
- ◆ Weight: 5.4 oz. (152g) without battery
- ◆ Power Source: 1 "9V" battery (included)

### Includes:

- Battery
- User's Manual
- 1-Year Limited Warranty

| UPC     | NO.    |
|---------|--------|
| 01583 4 | MMD7NP |



MMD7NP

## PRECISION MULTI-SPECIES WOOD MOISTURE METER

Ideal for measuring the moisture content of wood before painting, wallpapering, sealing, treating or joining.

### FEATURES:

- Readings are species-specific, derived from industry-standard moisture-resistance curves for 48 popular species of wood
- Joystick makes species selection fast and easy
- Also measures and displays ambient temperature (in °F or °C) and RH
- Measurements can be compensated for ambient temperature, improving precision
- Super-bright yellow OLED (organic light-emitting diode) dot matrix display
- 99 record memory with manual or automatic (time-based) recording
- Multiple display options, including analog bar graph
- Measurement hold button
- Audible moisture alarm
- Pin cover doubles as calibration checker
- Replaceable pins

### SPECIFICATIONS:

- ◆ Moisture Measurement:
  - Range: 5.3 to 40%WME (Wood Moisture Equivalent)
  - Accuracy / Resolution:  $\pm (3\% \text{ of reading} + 5 \text{ digits}) / 0.1\%$
- ◆ Ambient Temperature Range / Accuracy:
  - 0° to 176°F (-18° to 80°C)
  - $\pm 1.8^\circ\text{F}$  (1°C) / 0.1°
- ◆ RH Range / Accuracy / Resolution:
  - 20 to 95%RH
  - $\pm 5\%$  typical / 1%
- ◆ Temperature Compensation Range / Resolution: 0° to 255°F (-18° to 124°C) / 5°F
- ◆ Display Type: Yellow OLED in 128 x 64 dot matrix format
- ◆ Display Size: 1.54 in. (39mm) diagonal
- ◆ Pin Length: 0.2 in. (5mm)
- ◆ Power Source: (1) "9V" battery (included)



MMD8P

- Includes:**
- Battery
  - User's Manual
  - 1-Year Limited Warranty

| UPC     | NO.   |
|---------|-------|
| 01638 1 | MMD8P |

## PIN-TYPE LCD MOISTURE METER W/BAR GRAPH

Ideal for measuring moisture content of wood, timber and concrete.

### FEATURES:

- Two displays: Red LED bar graph and LCD display with 0.62 in. (51mm) high digits
- Optional remote probe available
- Replaceable 0.44 in. (11mm) long pins
- Min/Max memory + data hold
- Heavy-duty housing
- Low battery indicator

- ◆ Dimensions: 8.4 x 2.7 x 1.2 in. (216.5 x 68.5 x 29.7mm)
- ◆ Weight: 8.8 oz. (251g)
- ◆ Power Source: 1 "9V" battery (not included)

### Includes:

- 10 Pairs of Extra Pins
- Protective Cover
- User's Manual
- 1-Year Limited Warranty

| UPC     | NO.                                       |
|---------|-------------------------------------------|
| 07003 1 | MMD7003                                   |
| 01255 0 | MP7003 External Pin-Type Probe (optional) |



MMD7003

### SPECIFICATIONS:

- ◆ Two measurement ranges: 0 to 100% for concrete and non-wood materials, 6 to 40% moisture for wood
- ◆ Measurement Accuracy / Resolution:  $\pm (5\% \text{ of reading} + \text{digits}) / 0.1\%$



## Specialty Tools & Instruments

---



General Tools & Instruments



GeneralToolsNYC

1.888.610.7664



[www.calcert.com](http://www.calcert.com)

[sales@calcert.com](mailto:sales@calcert.com)