## **Data Sheet**

## **Device Programmers**

## **Models 844USB & 866C**



Model 866C



Model 844USB

Universal device programmers are powerful, versatile, and simple to use. Our programmers are the ideal solution for programming new chips as well as copying chips for backup or repair purposes.


We offer on-going program software updates that extend device libraries and provide continuous improvements for both models 844USB and 866C programmers. Whether you are working with PLCC, SOIC, TSOP, DIP, TQFP, SSOP, PSOP or QFP packaging, we provide an extensive line of socket adapters that will work in conjunction with our programmers.

Specifications	844USB	866C
Devices Supported	EPROM, EEPROM/Flash, Serial EPROM, Microcontroller, PLD and BPROM (BPROMs 866C)	
Device libraries	Over 29,000	Over 70,000
Interface	USB 2.0 / USB 1.1 Compatible	
Programming Socket	DIL40 pin ZIF Socket, ISP for in-circuit programming	DIL48 pin ZIF Socket, ISP for in-circuit programming
Buffer Features	"Erase, Random Data Fill, Fill Block, Copy Block, Move Block, Swap Block, Buffer Print, Find Text, Replace Text, GoTo Address, Checksum Calculator, 8 bit & 16 bit View Modes"	
I.C. Tester	No	Yes
Power Requirements	100-240 VAC, 47-63 Hz	
Weight	1.1 lbs (500 g)	1.98 lbs (0.9 kg)
Dimensions (W x H x D)	3.8" x 1.4" x 6.3" (95 x 35 x 160 mm)	5.5" x 2.2" x 7.7" (140 x 56 x 195 mm)
One-Year Warranty		

Windows® is a registered trademark of Microsoft Corporation in the United States and other countries.

## **Common Features & Benefits**

- Extensive device libraries
- Fast and high performance
- Powerful program software
- Supports Windows® XP/Vista/7



Programmer software