

# GENERAL PURPOSE CLAMP METERS



VERSATILE. FLEXIBLE.  
CONVENIENT.



**GREENLEE®**  
A Textron Company

1.888.610.7664

 [www.calcert.com](http://www.calcert.com)

[sales@calcert.com](mailto:sales@calcert.com)

# GENERAL PURPOSE

## VERSATILE


- All standard digital multimeter functions plus current measurement

## FLEXIBLE

- Choose from five models to fit your individual testing needs

## CONVENIENT

- Compact, ergonomic designs and protective case included with all models



# A FULL LINE OF CLAMP METERS FROM GREENLEE



## FEATURES

|                                   | CM-660                      | CM-860                      | CM-960                      | CM-1360                      | CM-1560                      |
|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| True RMS                          | AC                          | AC                          | AC+DC                       | AC                           | AC+DC                        |
| Peak RMS                          |                             |                             | ✓                           |                              | ✓                            |
| Crest                             |                             |                             |                             |                              | ✓                            |
| Jaw Flashlight                    |                             |                             |                             | ✓                            | ✓                            |
| Backlight                         |                             | ✓                           | ✓                           | ✓                            | ✓                            |
| Relative Offset Mode ( $\Delta$ ) |                             | ✓                           | ✓                           | ✓                            | ✓                            |
| AmpTip™                           | ✓                           | ✓                           | ✓                           | ✓                            | ✓                            |
| VFD ACV, Hz Measurements          | ✓                           | ✓                           | ✓                           | ✓                            | ✓                            |
| Non-Contact Voltage Detection     | ✓                           | ✓                           | ✓                           | ✓                            | ✓                            |
| Maximum / Minimum / Average       | ✓                           | ✓                           | ✓                           | ✓                            | ✓                            |
| Frequency                         | ✓                           | ✓                           | ✓                           | ✓                            | ✓                            |
| Continuity / Diode Tests          | ✓                           | ✓                           | ✓                           | ✓                            | ✓                            |
| Data Hold                         | ✓                           | ✓                           | ✓                           | ✓                            | ✓                            |
| Automatic Power Off (APO)         | ✓                           | ✓                           | ✓                           | ✓                            | ✓                            |
| <b>RANGES</b>                     |                             |                             |                             |                              |                              |
| Capacitance                       |                             | 2500 $\mu$ F                | 2500 $\mu$ F                | 2500 $\mu$ F                 | 2500 $\mu$ F                 |
| DC Amps                           |                             |                             | 600                         |                              | 1000                         |
| AC Amps                           | 600                         | 600                         | 600                         | 1000                         | 1000                         |
| DC Volts                          | 600                         | 600                         | 600                         | 1000                         | 1000                         |
| AC Volts                          | 600                         | 600                         | 600                         | 1000                         | 1000                         |
| Resistance                        | 60 k $\Omega$               | 60 k $\Omega$               | 60 k $\Omega$               | 60 k $\Omega$                | 60 k $\Omega$                |
| Display Counts                    | 6000                        | 6000                        | 6000                        | 6000                         | 6000                         |
| Measurement Category Rating       | CAT IV 300V<br>CAT III 600V | CAT IV 300V<br>CAT III 600V | CAT IV 300V<br>CAT III 600V | CAT IV 600V<br>CAT III 1000V | CAT IV 600V<br>CAT III 1000V |



FOR PRODUCT VIDEOS, DEMONSTRATIONS  
AND MORE, SCAN THIS QR CODE OR VISIT:



See the **FULL LINE** of  
**Greenlee clampmeters at**

General Purpose · HVAC · Industrial



## ORDERING INFORMATION

**R** = REPLACEMENT PART

| CAT. NO. | UPC NO. | DESCRIPTION                              |
|----------|---------|------------------------------------------|
| CM-660   | 02211   | Clampmeter, AC, 600 Amps                 |
| CM-660-C | 02233   | Clampmeter, AC, 600 Amps (Calibrated)    |
| CM-860   | 02210   | Clampmeter, AC, 600 Amps                 |
| CM-860-C | 02232   | Clampmeter, AC, 600 Amps (Calibrated)    |
| CM-960   | 02192   | Clampmeter, AC/DC, 600 Amps              |
| CM-960-C | 02230   | Clampmeter, AC/DC, 600 Amps (Calibrated) |

All models include carrying case, (2) test leads, and batteries.

| CAT. NO.       | UPC NO. | DESCRIPTION                               |
|----------------|---------|-------------------------------------------|
| CM-1360        | 02190   | Clampmeter, AC, 1000 Amps                 |
| CM-1360-C      | 02221   | Clampmeter, AC, 1000 Amps (Calibrated)    |
| CM-1560        | 02188   | Clampmeter, AC/DC, 1000 Amps              |
| CM-1560-C      | 02219   | Clampmeter, AC/DC, 1000 Amps (Calibrated) |
| <b>R</b> TC-10 | 07534   | Carrying Case (for 600A models)           |
| <b>R</b> TC-30 | 07536   | Carrying Case (for 1000A models)          |
| <b>R</b> TSG-3 | 12034   | Sure-Grip Test Leads                      |



MA6112 1/14

©2014 Greenlee Textron Inc. • An ISO 9001 Company • Printed in USA

1.888.610.7664



www.calcert.com

sales@calcert.com

