



FLIR CM78 1000A Clamp Meter with IR Thermometer

The FLIR CM78 is a True RMS Industrial Grade 1000A Clamp Meter for the electrician who needs a safe, capable combination tool.

- Integrated IR Thermometer provides fast non-contact measurements on panels, conduits, and motors
- Powerful Worklights not only assist with clamping but are bright enough to serve as a primary worklight
- FLIR Tools Mobile connects the FLIR CM78 to your compatible smartphones and tablets via Bluetooth*
- METERLiNK® technology wirelessly integrates electrical readings on your infrared image with FLIR Thermal Cameras

Features:

- Voltage and Current, Min, Max, Average, Auto Power Off, Data Hold, Relative, Peak Hold, Battery Status Indicator, Bright White LED Backlight

Includes:

- 6 AAA Batteries, User Manual/CD, CAT IV Silicon Test Leads and Limited Lifetime Warranty



TECHNICAL SUMMARY	MAX RANGE	BASIC ACCURACY
AC/DC Current	1000A	±2.5%
AC/DC Voltage	1000V	±1.5%
Resistance	40.00MΩ	±1.5%
Capacitance	4.000mF	±3%
Frequency	4000Hz	±1.5%
Temperature (IR)	-20 to 518°F, -20 to 270°C	±2%
IR Distance to Target Ratio	8 inches away : 1 inch spot size	
Type K Temperature (optional probe)	-4 to 1400°F, -20 to 760°C	±3%

* See www.flir.com/test for latest compatibility information and more warranty details



GENERAL INFORMATION	
Bluetooth Range Max	32ft (10m)
Jaw Opening	1.7in (42mm, 1500MCM)
Category Rating	CAT IV-600V, CAT III-1000V
Warranty	Limited Lifetime*

Ordering Information

CM78 1000A True RMS Clamp Meter + IR Thermometer
 CM78-NIST..... CM78 with Certificate of Traceability to NIST
 TAB0..... CAT IV Silicon Test Leads



NASHUA

FLIR Systems, Inc.
 PH: +1 603-324-7600

PORTLAND

Corporate Headquarters
 FLIR Systems, Inc.
 PH: +1 866.477.3687

CANADA

FLIR Systems, Ltd.
 PH: +1 800.613.0507

MEXICO/LATIN AMERICA

FLIR Systems Brasil
 Av. Antonio Bardella
 PH: +55 15 3238 8070

Equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited. Imagery used for illustration purposes only. Specifications are subject to change without notice. ©2013 FLIR Systems, Inc. All rights reserved. 3723 (Rev. 09/13)

www.flir.com/test
 NASDAQ: FLIR