







Lab Mats

Reusable, reliable, and reversible



The Lab Mat by Heathrow Scientific is an economical solution to help keep benchtops clean and safe from stains, spills and wear. Save money by eliminating the need for repeated purchases and disposal costs associated with disposable paper mats. The lab mat is made from a durable silicone material that creates a stain resistant washable working surface. When the mat is done being used, it can be easily cleaned using any standard disinfectant by simply wiping it, or putting it in a dishwasher and it's ready for repeated use. Since the lab mat is reusable, it helps reduce waste making it a more environmentally friendly option over the alternative paper mats.

The lab mat offers a large working surface that is anti-skid which when dealing with harsh chemicals and delicate glassware helps keep items in place and prohibits the lab mat from sliding out from underneath. The mat's surface is also noise dampening, reducing sound from the vibration of common benchtop equipment. The lab mat can be used with items such as centrifuges, vortex mixers, hot plates, stirrers, pipettes and so much more. When using the mat with magnetic stirrers there is a designated area with internal metal inserts to keep stir bars from wandering around the working surface. A lip design around the outer edge of the mat helps contain spillage that may occur when in use keeping benchtops safe and clean.

- Made from FDA food grade silicone
- Ideal for every type of laboratory and more specialized areas such as cold rooms, clean rooms, sterile suites and areas where high sterility is a requirement
- Protect countertops from hot items up to 200°C (392°F)
- Chemical resistance: chemically inert and does not react with most chemicals.
- Washable with standard disinfectants in sinks or dishwashers allow for easy clean up for repetitive uses
- Mat can be rolled up for compact storage
- **Autoclavable** at 121° for 15 minutes

Part No.	Operating Temp	L x W	Qty.	Color	Side #1	Side #2
HS120506	-50°C to 200°C (-58°F to 392°F)	35 cm x 60 cm (14 in x 23.5 in) 2 mm thick	1/ea	Side One: solid yellow Side Two: blue design on grey background		
HS120507	-50°C to 200°C (-58°F to 392°F)	35 cm x 60 cm (14 in x 23.5 in) 2 mm thick	1/ea	Side One: solid purple Side Two: grey design on purple background		
HS120599	-50°C to 200°C (-58°F to 392°F)	35 cm x 60 cm (14 in x 23.5 in) 2 mm thick	1/ea	Side One: solid blue Side Two: solid white with blue rim		





Lip design around all edges enables liquid retention of approximately 300mL of fluid



Large working surface area accommodates benchtop equipment, weigh boats, stir bars, scales, etc.